

Grants Pass Adventist School
Communicable Disease School Management Plan
Revised August 30, 2020

This document outlines the steps necessary to implement the reduction of a virus outbreak on our campus and maintain, to the greatest extent possible, the health of students and staff. In order for on-site learning to take place certain precautions must be observed, processes put in place, cleaning protocols followed, and all school personnel properly educated and trained.

Grants Pass Adventist School's designated Safety Officer is:

Richard Rasmussen, Principal, who is to be responsible for implementation of health and safety protocols.

The Safety Officer is responsible to:

1. Ensure that daily records, including contact tracing information, are kept of all who come and go throughout the school day. These logs must be maintained for a minimum of 4 weeks after completion of in-person/on-site instruction.
2. Maintain a student contact tracing plan, which must include student name, family and emergency contact information, drop-off/pick-time, and adults responsible for both drop-off/pick-up and all staff that interact with each group of students.
3. Ensure health and safety precautions are followed.

Grants Pass Adventist School's Emergency Preparedness Plan – Response to Outbreak

1. Document any observed case of elevated temperature or other symptoms of COVID-19.
2. Report any cluster of illness (2 or more people with similar illness in the same cohort) to the local public health authority (LPHA), Josephine County Public Health Department's Reporting Hotline: 541-474-5325) and follow any instructions received from them.
3. Report any confirmed case of COVID-19 to the LPHA.
4. Communicate potential or confirmed COVID-19 cases to the school community and other stakeholders.
5. If a positive case is confirmed, notify local superintendent, David Davies (Cell/Office 541-601-0441).
6. Pending instructions from the LPHA:
 - Discourage extracurricular activities and gatherings of staff, students and their families, both private and public. We recommend sheltering-in-place at home.
 - Modify, postpone, or cancel any large-group school activities.
7. Collaborate with the LPHA to determine the need for and/or length of a cohort or whole-school closure.

Staff & Teacher Preparation Prior to Resuming Instruction

- Follow ODE guidelines in communicating this plan to families and constituents.
- Post signs on how to stop the spread of COVID-19, properly wash hands, promote everyday protective measures, and wear a face covering as needed.
- Ensure that instructional spaces have at least 35 square feet per person, including teaching staff.

- Establish routines for effective sanitizing of all high-touch surface areas throughout the day (e.g. desks, doorknobs, light switches, toilets, faucets, etc.).
- Each teacher will establish a plan to perform or supervise a routine cleaning of touchpoints at various points during the day, along with a plan for teachers or custodians to conduct a daily wipe-down of all touchpoints with disinfectant.
- Staff will be instructed on:
 - Proper use, removal, and washing of face masks/shields.
 - Avoiding touching the face or face covering as much as possible.
 - Washing or sanitizing hands every day upon entry to the school.
 - Washing or sanitizing hands frequently during the school day, especially before/after meals, playground usage, and between cohorts.

Staff & Teacher Responsibilities Upon Resuming Instruction

- Provide “Coronavirus (COVID-19) Fact Sheet” to all adult/guardians with children enrolled in the school.
- Conduct a visual health screening of all staff, students, and visitors upon arrival, following other county and CDC guidelines to monitor for symptoms.
 - Symptoms of COVID-19 include cough, fever, chills, shortness of breath or difficulty breathing, muscle pain, headache, sore throat, new loss of taste or smell, diarrhea, nausea, vomiting, nasal congestion, and runny nose.
 - If a student or staff member has symptoms but no temperature, temperature should be checked every five hours.
 - Students or staff members with fevers above 99.0°F will be encouraged to return home (per student handbook).
 - Students or staff members with a temperature greater than 100.4°F will be required to return home.
 - Visitors will not be allowed to remain on campus.
- Teachers will maintain daily student attendance log.
- Front office will maintain a daily log of employees on campus as well as of visitors who come during the school day.
- Use of cloth face coverings/face shields according to ODE guidelines. Face coverings or face shields are required for all students in grades kindergarten and above along with all staff, contractors, other service providers, visitors, and volunteers.
- Monitor student physical distancing on playground, fields, recess, and breaks to greatest extent possible.
- Fire, earthquake, lockdown, lockout, shelter in place, evacuation, and other essential emergency drills will continue to take place on a regular schedule. If physical distancing must be compromised, drills must be completed in less than 15 minutes. Students must wash hands with soap and water for 20 seconds or use an alcohol-based hand sanitizer with 60-95% alcohol after the drill has been completed.
- Teachers will use collaborative problem solving to assist students before a problem arises. They will keep students apart who escalate each other.

Joint School & Student Responsibilities

- Create and support conditions for students to be successful in practicing and learning new and not-so-intuitive safe health guidelines and procedures.
- Maintain a developmental view of students while elevating and practicing heightened awareness of health and safety needs.
- When students falter in adhering to the new operating procedures, maintain a positive attitude, focusing on grace and patience instead of punishment. Never implement consequences that deny access to learning.
- Avoid touching faces or face masks as much as possible, and monitor closely the use of face coverings by children.
- Cover coughs and sneezes with a tissue or elbow. Tissues should then be immediately discarded, and hands should be washed or sanitized.
- Avoid immediate contact acts such as shaking or holding hands, hugging, or other forms of touching.
- Encourage use of personal water bottles labeled with students' names, as all-school drinking fountains will have been disabled. The water bottle refilling station in the hallway should be disinfected between uses multiple times per day.
- Utilize handwashing facilities and teach/learn routines for effective handwashing of at least 20 seconds with soap and water.
 - Wash hands or use hand sanitizer every day upon entry to the school building.
 - Wash hands or use hand sanitizer before eating, preparing or serving food, before/after meals, before/after playground activities, after other activities such as touching shared items, or following each cohort.
 - Wash hands with soap and water for 20 seconds after using the restroom.
 - Encourage the use of songs or other motivators to teach/promote effective hand-washing practices.
- In assessing work, limit paper exchange as much as possible by providing immediate verbal feedback and response instead.
- Limit sharing of school supplies, books, electronic devices, etc. unless properly washed/sanitized between uses or adequate time is given between uses (more than 72 hours).

Cleaning Procedures

Grants Pass Adventist School will be cleaned at least daily according to the following CDC-aligned protocols to minimize the risk of exposure to COVID-19. Cleaning frequency will be increased for frequently touched surfaces or areas used by more than one cohort.

Step 1: Clean

- Wear disposable gloves to clean and disinfect.
 - Additional personal protective equipment (PPE) may be required based on the cleaning/disinfectant products used and whether there is a risk of splash.
- Clean surfaces daily using soap and water, then use disinfectant. Some products may accomplish the cleaning and disinfecting process in one step.

- More frequent cleaning and disinfecting may be required based on level of use. High touch surfaces include: Tables, doorknobs, light switches, handles, learning areas, phones, keyboards, toilets, faucets, sinks, etc.
- **Note:** *Some surfaces may only need to be cleaned with soap and water. For example, surfaces and objects that are not frequently touched should be cleaned and do not require additional disinfecting. Additionally, disinfectants should typically not be applied on items used by children, especially any items that children might put in their mouths. Check the label of all products to verify their safe use around children.*

Step 2: Disinfect

- A cold fogger machine will be used to disinfect surfaces in classrooms, offices, bathrooms, and activity areas daily with a bleach water solution approved by the CDC.
- Recommend use of EPA-registered household disinfectant.
- Follow the instructions on the label to ensure safe and effective use of the product. Many products recommend:
 - Keeping surface wet for a period of time (consult product label).
 - Follow precautions such as wearing gloves and making sure you have good ventilation during use of the product.
- Diluted household bleach solutions may also be used if appropriate for the surface.
 - Check the label to see if your bleach is intended for disinfection, and ensure the product is not past its expiration date. Some bleaches, such as those designed for safe use on colored clothing or for whitening may not be suitable for disinfection.
 - Unexpired household bleach will be effective against coronaviruses when properly diluted. Follow manufacturer's instructions for application and proper ventilation. Never mix household bleach with ammonia or any other cleanser. Leave solution on the surface for at least 1 minute.
- To make a bleach solution, mix:
 - 5 tablespoons (1/3rd cup) bleach per gallon of water
 - OR
 - 4 teaspoons bleach per quart of water
- Bleach solutions will be effective for disinfection up to 24 hours.
- Alcohol solutions with at least 60% alcohol may also be used.

Safety, Cleaning, and Disinfecting Supplies

- Principal will ensure that employees are provided with masks and gloves to accomplish recommended cleaning and disinfecting activities, in a timely manner.
- Principal will ensure that soap, hand sanitizer, tissues, paper towels and no-touch trash cans are readily available for student and staff use.
- Principal will ensure that cleaning and disinfecting supplies are readily available to accomplish periodic cleaning and disinfecting activities.

Soft Surfaces

- Remove any items that are difficult to clean, such as non-essential furniture, toys, etc. that are difficult to sanitize.
- For soft surfaces such as carpeted floor and rugs:
 - Clean using soap and water or with cleaners appropriate for use on these surfaces.

- Launder items (if possible) according to the manufacturer's instructions. Use the warmest appropriate water setting and dry items completely.
- OR
- Disinfect with an EPA-registered household disinfectant.
- Vacuum as usual.

Technology/Electronics

- For electronics, such as tablets, touch screens, and keyboards follow manufacturer's instruction for cleaning and disinfecting.
- If no guidance, use alcohol-based wipes or sprays containing at least 60% alcohol.

Playground Equipment/Outdoor Areas

- Playground equipment, outdoor equipment (including sports equipment), gym equipment, and shared equipment will be designated solely for the use of one cohort at a time. This equipment will be disinfected at least daily or between cohorts use as much as possible, in accordance with CDC guidance.
- High touch surfaces made of plastic or metal, such as grab bars and railings, should be cleaned and disinfected at least daily or between use as much as possible.
- Cleaning and disinfection of wooden surfaces (play structures, benches, tables) or groundcovers (mulch, sand) is not recommended.
- Items that are shared such as bats, balls, hula hoops or any other game-specific toy or implement are to be sanitized between cohorts.
- Students should wash/sanitize their hands after use of shared items.
- Sidewalks and roads should not be disinfected.

Common-Use Areas

- Hand sanitizer stations must be located at each entry point. Hand sanitizer should be at least 60% alcohol.
- Principal will disable or block all drinking fountains. Water and bottle refilling stations on drinking fountains may still be used as long as the drinking fountain mouthpiece is rendered inoperable.

STEAM/Art Supplies

- The principal, in collaboration with teachers, will ensure adequate supplies to minimize sharing of high touch materials to the extent possible (art supplies, lab equipment, etc.) or limit use of supplies and equipment by one group of children at a time and clean and disinfect between uses.

Student Pick-up/Drop-off

- Develop a plan for child pick-up and drop-off that limits direct contact between parents and staff members.
- Supervise the front drop-off area to ensure students are adhering to distancing guidelines.
- Upon arrival, staff members will conduct a health screening of all students prior to their entering the school building. Once class has begun, tardy K-2 students will be screened in the front office area. Tardy students in the other classrooms will still be screened at the outside door to their classroom.
- K-2 students will enter and exit the school building through the main entrance. Students in all other classrooms will enter and exit the school building using the outside door to their classroom.

- Logs of health screening will be kept for a minimum of 4 weeks.

Maintaining Health & Safety during Student Transitions

- For the health and safety of those in the school, visitors to the building and classrooms shall be limited to those with essential business.
- When leaving for lunch, recess, or P.E., students will be provided time to wash hands or use hand sanitizer before going to their designated area.
- Areas are to be sanitized between arrival and dismissal of different cohort groups. Records will be kept of who cleaned, time, and a checklist of areas cleaned.
- Classroom transitions will be limited to the greatest extent possible.
- Floors will be marked for six feet distancing for students to use when waiting in line.
- Times for recess, PE, gym use, and use of the Commons area, are to be staggered with other cohorts to reduce time in line and minimize mixing of cohorts.
- Where possible, cohorts should be assigned specific classroom restrooms.
- Establish an exit path from the classroom to the restroom that maintains 6 ft. distancing.
- Schedule regular restroom breaks coordinated throughout the school to avoid different cohorts from mixing.
- For classrooms with sinks, rotate students washing hands as needed.
- Encourage students to wash or sanitize hands when transitioning between activities, before and after every snack and meal; after coming inside; after sneezing, blowing the nose, or coughing.
- Ensure that, if the lunch or meals continue to be served in the Commons, students maintain appropriate distancing and serving staff wear face coverings. As an alternative, packaged lunches or individually plated meals may be delivered to students in classrooms or at tables that are set 6 ft. apart.
- Prohibit the sharing of food or utensils.
- Clean and sanitize tables in the Commons at lunch time between cohorts, if used.

Subject Transitions

- For each distinct cohort, ensure that only the teacher or teacher's aide move between classrooms for instruction.
- Ensure that the teacher or teacher's aide sanitize when moving between classrooms.

Essential Visitor Responsibilities

- Undergo health screening for symptoms upon every entry into school.
- Maintain appropriate physical distancing.
- Wash or sanitize hands upon entry and exit.
- Wear face covering or face shield.

Staff Member, Student, or Essential Visitor Illness

- Communicate with families on protocol for self-reporting symptoms of students.
- Students and staff must remain at home when sick or if they have recently had an illness with a fever or a cough.
- Before students and staff who have been ill with COVID-19 symptoms return to school, they must wait at least 10 days after illness onset and/or 72 hours after fever is gone, without

- use of fever reducing medicine, and other COVID-19 symptoms (cough, shortness of breath, and/or diarrhea) are improving.
- Individuals who have been exposed to a confirmed or presumptive case of COVID-19 must remain at home and quarantine for 14 days after their last date of exposure before returning to work or school.
 - Closely monitor students or staff for symptoms who have a family member in their home that has signs of COVID-19.
 - Establish a procedure for removing students, staff, or visitors from contact with the rest of the school population and sending them home when they come to the school sick or become sick at school.
 - Follow the steps in the *Emergency Preparedness Plan* if it has been confirmed that a student or staff member has become infected.

All above protocols are subject to change based on new guidelines that may be issued by the Oregon Conference Office of Education, the Oregon Department of Education, the Governor's Office, and state and local health departments. GPAS will adjust operations as changes occur.